

---

## Experiments Contraction Liquid Vein Issuing Orifice

**the lactic acid content of the blood after muscular ...** - contraction have been mainly carried out on the muscles of cold-blooded ... from a superficial vein, ... experiments decerebration was believed not to be satisfactory, ... **electrical and mechanical properties of spontaneous ...** - of spontaneous contraction in hypertensive rat portal vein ... in most of experiments, each vein was ... separated by high performance liquid chromatography on a **cardiac excitation-contraction coupling in the portal ...** - hearts from rats with chronic portal vein stenosis. ... contractile experiments. ... was immediately frozen in liquid nitrogen and stored at **-adrenoceptors mediate contractile responses to ...** - 2 $\alpha$ -adrenoceptors mediate contractile responses to noradrenaline in the human saphenous vein ... adrenoceptor mediating contraction of the human saphenous vein was ... **oscillating contraction in protoplasmic strands of ...** in stretch procedures, the vein must be ... pilot experiments) by rapid liquid-nitrogen cooling of the ... **work-induced potassium changes in skeletal muscle and ...** - using liquid ion-exchanger semimicroelec- ... the present experiments were performed on 19 rabbits (2-3.5 kg body weight) and 41 cats (2-4 kg ... **simultaneous measurement of [h]noradrenaline release and ...** - and neurogenic contraction under identical conditions, ... mediated contraction in dog saphenous vein and rabbit ... by liquid scintillation counting ... **the effects of potassium channel openers on saphenous vein ...** - weighed before being pulverised in liquid ... organ bath experiments vein rings were mounted ... non-diseased vein supported a contraction of ... **in vitro evaluation of endothelial and smooth muscle ...** - experiments were designed to study functional changes in superficial leg veins of patients with ... contraction. to evaluate ... weighed and frozen in liquid nitrogen. **part ii: vascular effects mediated by 5-hydroxytryptamine ...** - skolin-stimulated cyclic amp accumulation in the human isolated saphenous vein ... which amounted to about 60% of the contraction ... segments for both experiments ... **coronary artery pressure and strength of right ventricular ...** - right ventricular contraction by peter f. salisbury, ... artery and via the jugular vein into the right ven- ... liquid volume in the clamp. **the mechanisms of the direct vascular effects of ...** - before all experiments. ... liquid, abbott) at 0.5 mac, 1 mac, 1.5 ... (10 mol/l) produced contraction in human saphenous vein strips. **nos inhibition inhibits skeletal muscle glucose uptake but ...** - rodents examining the effect of nos inhibition on contraction-stimulated skeletal ... and vein blood samples were obtained ... frozen in liquid nitrogen and stored at **- the effects of anticholinesterases upon the spleen of the dog** - blood from the splenic vein was returned to the animal via a ... or liquid paraffin, ... in these experiments, therefore, contraction of the spleen must be due to an agent carried in the ... **contractility of lungs and air-tubes: experiments ...** - nected to a manometer filled with coloured liquid. in a few experiments, ... induce contraction of the airways by direct ... ted into the jugular vein or neck ... **cryopreserved venous allografts: effects of ...** - cryopreserved venous allografts: effects of immunosuppression and antiplatelet therapy on patency and function virginia m. miller, phd, r. thomas bergman ... **lateral saphenous vein bioassay1 - researchgate** - lateral saphenous vein bioassay1 ... ergotamine experiments, respectively) ... resistance of an ergovaline-induced contraction to re- **rho kinase activation and ros production contributes to ...** - rho kinase activation and ros production contributes to the cooling enhanced contraction in cutaneous equine ... (larizing stimulus in the equine digital vein. **inhibition by acetylcholine of adrenergic ...** - and mesenteric vein strips were incubate 3h] ... during contraction by s caused ... measured in a liquid scintillation counter. **enhanced muscle insulin sensitivity after contraction ...** - all experiments were approved by the danish animal ... dissected and frozen in liquid nitrogen. ... tail vein at 0, 20, 40, 60, 90, ... **hypoxia sensitivity of a voltage-gated potassium current ...** - kh would contribute to hypoxic-induced contraction in pvs mc. pulmonary vein smooth ... snap frozen in liquid ... in the electrophysiological experiments. **effects of dietary l-arginine on the reactivity of canine ...** - saphenous vein grafting ... mass spectroscopy and reverse phase high-pressure liquid ... change in tension from a contraction to pgf 2a (2 mm). experiments were ... **reflections about estimative method of the isolate portal ...** - mechanism of portal vein muscle contraction were enounced. rezumat ... in fixed terms and after finishing the experiments the animals were slaughtered through **inhibitory on and calcium movement in muscles** - inhibitory effects of procaine on contraction and ... in the present experiments, ... (50 mg/kg-) and air into the ear vein. **2.0 heat affects matter in different ways** - 2.0 heat affects matter in different ways ... solid, liquid and gas. ... expansion and contraction in gases **inhibitory effects of caffeine contractions calcium movement ...** - 270 h.y. ahnet al. maybe due to a contractile effect of caffeine (figure 1a). caffeine inhibited the 10-6m noradrenaline-induced contraction in aorta with an ic50 of **role of the small heat shock proteins in regulating ...** - vascular smooth muscle contraction. 2 other vasocon- ... veine vein was then sectioned into consecutive ring ... muscle bath experiments. **lord rayleigh's b~/lord rayleigh~, f.r.s.\*** - the contracted vein. he contraction of a jet of fluid in ... for the sake of simplicity the liquid will be ... in small-scale experiments the **cardiovascular parameters in rat model of chronic renal ...** - cardiovascular parameters in rat model of chronic renal ... were sutured in two layers and covered by a liquid ... contraction and electrophysiology experiments **effects of sevoflurane on sympathetic neurotransmission in ...** - the sympathetic nervous system in the periphery. furthermore, the effects of sevoflurane on vascular sympa-thetic

---

activity in man are unknown. **voltage-dependent  $Ca^{2+}$  channels portal vein smooth** - portal vein smooth muscle cells.  $Ca^{2+}$  channel currents were recorded using the whole-cell patch-clamp technique. **does the intestinal site of fat delivery influence ...** - three experiments, ... intraileal fat and 3) placebo after oral ingestion of a mixed liquid meal. ... gallbladder contraction and intestinal transit ... **indapamide-Induced inhibition of calcium movement in ...** - indapamide reduced the transient contraction induced in calcium-... (portal vein) ... all experiments were performed in wistar rats weighing about 250 to 300 g. **toxicity of sitosterol to human umbilical vein endothelial ...** - toxicity of sitosterol to human umbilical vein endothelial cells in ... investigated by culturing human umbilical vein endothelial ... high-performance liquid ... **changes in plasma membrane ionic permeability and related ...** - experiments were performed in isolated muscle seg- ... vein and aorta were cut into small pieces ... then 10 ml of scintillation liquid zs-103 was added and **of barium-induced cardiac contraction large- and small ...** - contraction on large- and small-vessel ... than 0.5% in all experiments. ... right carotid artery and left jugular vein were dis- **lab manual introductory anatomy & physiology** - renal vein renal artery diaphragm adrenal gland ... contraction of the smooth muscle cells. ... and the liquid **straathof 2005 dissertatie - openaccess.leidenuniv** - inserted in an antecubital vein of one arm for blood sampling. a liquid mixed ... pharyngeal contraction. ... which values between or within the experiments ... **dehydroepiandrosterone (dhea) prevents and reverses ...** - dehydroepiandrosterone (dhea) prevents and reverses chronic hypoxic pulmonary hypertension ... for contraction experiments, rings ... ground in liquid n2, ... **jcm jcm j. cell. mol. med. vol 10, no 3, 2006 pp ...** - tial activation of the three enzymes may be responsible for the slow and long-lasting contraction induced by aii. ... in rat portal vein myocytes, ... **blackwell science ltd evans blue dye as an in vivo marker ...** - marker of myofibre damage: optimising parameters for detecting initial ... these experiments demonstrated ... 20 min after controlled lengthening-contraction ... **indapamide-Induced inhibition of calcium movement in ...** - tions in both rat myometrium and rat portal vein preparations were ... indapamide reduced the transient contraction induced in ... so that the liquid **dissociation of hyperglycemia from altered vascular ...** - enhanced phe contraction, and metformin blunted this effect. acetylcholine-induced relaxation was in cav-1 2/2. wt, ... **effect of gradual reduction in O2 delivery on ...** - steps every 3 min by h or i during two of the contraction periods ... all vessels draining into the popliteal vein, ... liquid ng in